

### **Description:**

PROTICER is a solvent based protector specially designed for paving made of marble, stone, non-glazed ceramic, etc. It enhances the colour of the treated pieces and protects them at the same time.

### **Uses:**

It is used for ceramic and stone paving and prevents the formation of stains on ceramic or stone slabs.

### **Features & benefits:**

IT PROTECTS BEFORE AND AFTER GROUTING. IT PREVENTS MORTARS FROM ADHERING.

### **Surface preparation:**

The background of application must be perfectly dry and free of dust or contaminating particles.

### **Application:**

- PROTICER is applied using a paint brush, gun or spray in the recommended coverage of 4-5 m<sup>2</sup>/l approximately.
- The background of application must be clean and dry.
- In case of more absorbent supports, repeat the application.
- Apply before grouting and leave to dry completely. Apply without diluting.

### **TechnicalFeatures:**

Density: 1.0 Kg/L ± 0.03 at 20°C.  
Solid content in volume: 8%.  
Colour/s: transparent

### **Coverage:**

4-5 m<sup>2</sup> per l.

### **Clean up:**

Clean with water.

### **Storage:**

It is recommended to store this product for 2 years in its tightly closed original packages in a cool place.

The information provided on this technical data sheet and particularly the recommendations for the application and use of the product is based on our current knowledge and are provided in good faith, considering that the products are used, handled and stored under normal conditions and within the limits of its useful life. The possible differences between the materials, supports, and real conditions in the application site can be so important that it is no possible to establish a warranty with this document or any other information provided. The user must verify with a suitability test that the product conforms to the required use. Users should refer to the information included in the last technical data sheet edition.

### Packaging:

Available in packs of:

: 1 L

5 L

25 L

### Health and safety advice :

R11 -- Highly flammable

R51/53 -- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment :

R65 -- Harmful : may cause lung damage if swallowed

S2 -- Keep out of the reach of children

S23 -- Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer)

S24/25 -- Avoid any inhalation, contact with skin and eyes. Wear suitable protective clothing and gloves

S62 -- If swallowed, do not induce vomiting : seek medical advice immediately and show this container or label



The information provided on this technical data sheet and particularly the recommendations for the application and use of the product is based on our current knowledge and are provided in good faith, considering that the products are used, handled and stored under normal conditions and within the limits of its useful life. The possible differences between the materials, supports, and real conditions in the application site can be so important that it is no possible to establish a warranty with this document or any other information provided. The user must verify with a suitability test that the product conforms to the required use. Users should refer to the information included in the last technical data sheet edition.